



Rely on it.

RENOLIT ALKORFOL DRAWER



Decorative 2D foils for the design and wrapping of drawers and other furniture surfaces

Product details of RENOLIT ALKORFOL DRAWER

Technical information:

Parameter Parámetro Parameter	Standard Normativa Norm	Method Método Methode	Values Valores Werte	Units Unidades Einheiten	
Thickness tolerance Tolerancia de espesor Dickentoleranz	EN 1849-2	Micrometer	150 +/- 8%	µm	
Tensile stress at break Resistencia a la rotura Bruchspannung	EN ISO 527 - 3	70 mm / min	Longitudinal Longitudinal Längs	>42	MPa
			Transversal Transversal Quer	>32	
Tensile strain at break Alargamiento en la rotura Bruchdehnung	EN ISO 527 - 3	70 mm / min	Longitudinal Longitudinal Längs	>140	%
			Transversal Transversal Quer	>5	
Shrinkage Contracción Schrumpf	DIN 53377	10 min.; + 80 °C	< -5	%	

Mode of delivery:

Thickness Espesor Dicke	Material width Ancho de bobina Rollenbreite	Roll length Largo de bobina Rollenlänge	Minimum order quantity Cantidad mínima Mindestbestellmenge
150 µm	1450 mm	1000 m	3000 m (= 1 pallet)

The foils should be stored in closed rooms in hanging or up-right standing position in their original package and without further application of pressure at a temperature of 10° up to 30°C. Heat radiation by exposure to sunlight and to heating/hot-air should generally be avoided. Relative humidity of the atmosphere may not exceed 70%. Influences other than typical for storerooms (like e.g. harming environmental gases or vapours) must not appear. Storage life: 1 year. This values of the mechanical properties are for smooth or slightly embossed foils. Strong grain may show deviations. This technical information sheet represents our latest state of knowledge and shall inform without obligation. The herein stated details do not release the manufacturer of our products from their own inspections and tests, which must correspond with the relevant national guidelines for its individual intended purpose. Especially it is the duty of the customer to control if the purchased product is suitable for its intended purpose.

Decorative 2D
foils for the design
and wrapping of
drawers and other
furniture surfaces

Business Unit

RENOLIT *PROFESSION*

RENOLIT Hispania S.A.

Pol. Ind. San Miguel

Avda. de los Castaños, 5

31132 Villatuerta | Navarra

SPAIN

Phone: +34.948.556.315

Fax: +34.948.554.155

alkorfol-drawer@renolit.com

www.renolit.com

vinyl^{plus}



Rely on it.